



**Mirage Marble**

**Stones you expect**

# About

## Mirage marble

**Our** company was established in 2007 after several years of experience in the natural stones sector as one of the companies specialized in manufacturing and exporting Egyptian marble.



**Our** experience started with the blocks selection from the quarries down to manufacturing and exporting final and semifinal products with different finishes using the modern machines and techniques.



**Our** specialized team work is monitoring your orders step by step starting with the production, inspection, packing, loading, shipping and preparing all the related shipping documents.



**We** can supply all Egyptian granite varieties such as Fantastic, Gandola, Neo Bianco Halayb, Nero Aswan, Red Aswan, Red Forsan, Sinai Grey, Sinai Rose, Verdi Green, and Verdi Yellow.

**We** adhere to provide good quality and guarantee fast delivery to achieve our clients' trust and satisfaction in addition to keep our long lasting business relationship with them.

# Our Egyptian Granite Samples

## Fantastic



**Origin: Red Sea**

Water Absorption (ASTM C 97) 0.04 %

Modulus of Rupture (ASTM C 99) 2 400 psi

Compressive Strength (ASTM C 170) 23 500 psi

Abrasion Resistance (ASTM C 24) 43.1 Ha

Flexural Strength (ASTM C 880) 2 300 psi

Density (ASTM C 97) 2 674

## Gandloa



**Origin: Sinai, Egypt**

Water Absorption (ASTM C 97) 0.09 %

Modulus of Rupture (ASTM C 99) 2 300 psi


Compressive Strength (ASTM C 170) 21 500 psi

Abrasion Resistance (ASTM C 24) 45.5 Ha

Flexural Strength (ASTM C 880) 2 400 psi

Density (ASTM C 97) 2 634

## Neo Bianco Halayb



**Origin: Halayb, Egypt**

Water Absorption (ASTM C 97) 0.28 %

Modulus of Rupture (ASTM C 99) 2 500 psi

Compressive Strength (ASTM C 170) 26 100 psi

Abrasion Resistance (ASTM C 24) 48.6 Ha

Flexural Strength (ASTM C 880) 2 300 psi

Density (ASTM C 97) 2 659

## Nero Aswan



**Origin: Aswan, Egypt**

Water Absorption (ASTM C 97) 0.03 %

Modulus of Rupture (ASTM C 99) 4 500 psi


Compressive Strength (ASTM C 170) 29 600 psi

Abrasion Resistance (ASTM C 24) 51.9 Ha

Flexural Strength (ASTM C 880) 4 700 psi

Density (ASTM C 97) 2 854

## Red Aswan



**Origin: Aswan, Egypt**

Water Absorption (ASTM C 97) 0.06 %

Modulus of Rupture (ASTM C 99) 2 400 psi

Compressive Strength (ASTM C 170) 26 500 psi

Abrasion Resistance (ASTM C 24) 51.7 Ha

Flexural Strength (ASTM C 880) 2 200 psi

Density (ASTM C 97) 2 673

## Red Forsan



**Origin: Red Sea, Egypt**

Water Absorption (ASTM C 97) 0.13 %

Modulus of Rupture (ASTM C 99) 2 000 psi

Compressive Strength (ASTM C 170) 22 300 psi

Abrasion Resistance (ASTM C 24) 43.8 Ha

Flexural Strength (ASTM C 880) 2 200 psi

Density (ASTM C 97) 2 621

## Sinai Grey



**Origin: Sinai, Egypt**

Water Absorption (ASTM C 97) 0.12 %

Modulus of Rupture (ASTM C 99) 2 600 psi

Compressive Strength (ASTM C 170) 21 300 psi

Abrasion Resistance (ASTM C 24) 38.1 Ha

Flexural Strength (ASTM C 880) 2 000 psi

Density (ASTM C 97) 2 627

## Sinai Rose



**Origin: Sinai, Egypt**

Water Absorption (ASTM C 97) 0.13 %

Modulus of Rupture (ASTM C 99) 2 000 psi


Compressive Strength (ASTM C 170) 20 300 psi

Abrasion Resistance (ASTM C 24) 43.8 Ha

Flexural Strength (ASTM C 880) 1 900 psi

Density (ASTM C 97) 2 621

## Verdi Green



**Origin: Upper Egypt**

Water Absorption (ASTM C 97) 0.08 %

Modulus of Rupture (ASTM C 99) 2 400 psi

Compressive Strength (ASTM C 170) 24 800 psi

Abrasion Resistance (ASTM C 24) 40.6 Ha

Flexural Strength (ASTM C 880) 2 200 psi

Density (ASTM C 97) 2 649

## Verdi Yellow



**Origin: Upper Egypt**

Water Absorption (ASTM C 97) 0.07 %

Modulus of Rupture (ASTM C 99) 2 300psi

Compressive Strength (ASTM C 170) 23 900 psi

Abrasion Resistance (ASTM C 24) 40.10 Ha

Flexural Strength (ASTM C 880) 2 000 psi

Density (ASTM C 97) 2 645

## Finishes

### Polished

It's a shiny finish and the most frequently applied finish. It follows the finest honing and employs polishing abrasives that add brilliance with mirror effect to the stone surface.

### Honed

This finishing aims to produce a smooth surface and not reflective. It makes the color tones slightly dull, but the treatment preserves the material's natural esthetic characteristics.

### Brushed

This finish is obtained by applying hard plastic or metal brushes to the stone surface. The heavily action removes the softer part of the stone and wears out the surface, giving it a look similar to that of antique finishing.

### Acid Wash

It's a corrosive action on the stone. It can be used to obtain different effects depending on the material, the chemical and finally the processing time. Finishes can range from simple superficial cleaning of the material to a more definite ruggedness.

### Bush Hammered

It's done by hammering the stone with a series of steel points to break up the surface and create a pitted look. It is similar to the flamed finish because it's a technique for creating highly slip-resistant surfaces. Also, it can be done a greater or lesser degree.

### Flamed

It's created by passing an oxy-acetylene torch over the surface of the stone and then following it immediately with a cold pressurized jet of water to fracture the top surface of the stone. It gives a non-slip surface which is ideal for terraces or public paved areas.



**Contact Details:**

 **Mobile & What's App:** 00201552413241

 **E-mail:** [EXPORT@MIRAGEMARBLE.COM](mailto:EXPORT@MIRAGEMARBLE.COM)



Scan QR Code

 **Web Site:** [WWW.MIRAGEMARBLE.COM](http://WWW.MIRAGEMARBLE.COM)

 **Facebook:** [WWW.FACEBOOK.COM/MIRAGEMARBLE](http://WWW.FACEBOOK.COM/MIRAGEMARBLE)

 **Factory:** Shak El Thouban Industrial Zone, Tora, Egypt

 **Office:** Building#11, 50<sup>th</sup> Street Zahraa Maadi, Cairo, Egypt